

Schedules

Menu

- Definitions
- Selective Harvests
- Snapshot Harvests
- Schedules
- Find Domain(s)
- Create Domain
- Domain Statistics
- Alias Summary
- Edit Harvest Templates
- Global Crawler Traps
- Extended Fields
- Harvest status
- Harvest Channels
- Bitpreservation
- Quality Assurance
- Systemstate

Schedules

Existing Schedules:

Once_a_day	Edit
Once_a_month	Edit
Once_an_hour	Edit
Once_a_week	Edit

Create new schedule

Schedules are only applied on selective and event harvests.

A schedule defines a harvesting frequency. The minimum entity is one minute. It is possible to choose an automatically fixed start and/or end time for a specific harvest.

For a new schedule click on **Create new schedule**. And to edit an existing schedule press **Edit**.



Menu

Definitions

- Selective Harvests
- Snapshot Harvests
- Schedules
- Find Domain(s)
- Create Domain
- Domain Statistics
- Alias Summary
- Edit Harvest Templates
- Global Crawler Traps
- Extended Fields

Harvest status

- Harvest Channels
- Bitpreservation
- Quality Assurance
- Systemstate

Edit Schedule

Schedule name:

Comments:

Perform harvest

Every

Time of day: Anytime
 On the th minute of the hour

Starts at the earliest

As soon as possible
 at (format: DD/MM YYYY hh:mm)

Continue

Forever
 Until (format: DD/MM YYYY hh:mm)
 Until harvests have been done

Give the schedule an easily recognizable name – note that the name can't be changed once saved. If necessary, add a comment.

Fill in the frequency and – if necessary - time of the day for harvests using this schedule to run. In the drop down menu you have the choice between minutes, hours, days, weeks and months. Changing **days** switches the **Time of day** so that:

- “hours” lets you choose a specific minute of the hour
- “days” lets you choose a specific time of day
- “weeks” lets you choose a specific day of the week
- “months” lets you choose a specific day of the month
- Selecting a “minutes” based schedule does not allow you any further specification of when the schedule is to run.

After selecting the frequency you must select *Start at the earliest* which could either be as soon as possible (default) or at a specific date and time.

The last thing to determine is how long this schedule should go on. The default for the duration of a schedule is forever. It is also possible to choose an end date and a certain number of harvests to perform. This allows you to define schedules that will only run in a shorter period – e.g. in connection with an event harvest where the date range in which to harvest is predefined.

